Bibliography

Adel, M., & Ragab, S. (2013). Improving well productivity in an Egyptain oil field using radial drilling technique. *Journal of Petroleum and Gas Engineering, 4*(5), 103-117.

Alvarado, V., & Manrique, E. (2010). Enhanced oil recovery : An update review. *Energies, 3*, 1529-1575.

Beiranvand, M., Morshedi, S., Sedaghat, M., & Aghahoseini, S. (2011). Design of a gas system to increase oil production from Iranian offshoe well with highwater cut. *Australian journal of basic and applied science, 5*(11), 1561-1565.

Bimpong, B., & Broni-Bediako, E. (2012). Theortical design consideration of artificial lift and tubing string for solution gas drive. *ARPN Journal of Science and Technology, 2*(5), 463-473.

Botros, K., O'Blenes, J., & Yajure, E. (2014). Transfer matrix technique for determining the resonance conditions in retrieving stuck drill pipes with a top vibratory suspended drive. *Journal of Petrliun and Gas Engineering, 5*(5), 70-82.

Browning, B., Dobbs, W., Killough, J., & Kumar, A. (2012). Coupled surface / subsurface simulation of a deepwater Gulf of Mexico. *1*(1), 23-46.

Cao, J., Cao, R., Liu, B., & Zhao, F. (2014). Optimization and Evaluation of foam flooding formula after polymer flooding. *Scholar Journal of engineering and Technology, 2*(3c), 459-462.

Chikwere, E., Sylvester, O., & Appah, D. (2015). Economic Evaluation of Electrical submersible pump (ESP) and gas lift well for production optimization in a Niger delta field. *International Journal of Engineering and Technology, 5*(1), 56-68.

Delshad, M. (2013). Using soap to revive mature oil fields. *Society of Petroleum Engineers, 9*(3), 28-32.

Delshad, M. (2013). Using Soap to revive mature oil fields. *Society of Petroleum Engineers, 9*(3), 28-32.

Ebuka, U., Egelle, E., & Ogbunude, B. (2014). Integreated production system optimization: A mature Niger Delta field case study. *International Journal of Science and Research, 3*(8), 1520-1525.

Economides, M., & Nolte, K. (2000). *Reservoir Simulation.* Chichester: Wiley&Sons Ltd.

Eghon, O., & Idigbe, K. (2013). Injection of natural gas into reservoirs:A fesible solution to gas flaring in Nigeria. *Academic Research International, 4*(5), 90-99.

Hua, G., Teodoriu, C., & Morrison, G. (2012). Comperison of multiphase pumping technologies for subsea and downhole applications. *SPE Annual technical conference and exhibition* (pp. 36-46). Denver: Society of Petroleum Engineers.

Joseph, A., & Ajienka, J. (2014). A practical approach to evaluation of subcritical multiphase flow through down-hole safety valves (strom chockes). *Journal of Petroleum and Gas Engineering, 5*(5), 57-69.

Khamehchi, E., Abdolhosseini, H., & Abbaspour, R. (2014). Prediction of maximum oil production by gas lift in an Iranian field using Auto-designed neural network. *International Journal of Petroleum and Geoscience Engineering, 2*(2), 138-150.

Kim, J., Lee, H., Kim, J., Lee, Y., & Choi, Y. (2014). Reliability verification of the performance evaluation of multiphase pump. *International Journal of Mechanical, aerospace, Industrial, 8*(12), 1895-1899.

Maji, A., Murlidhar, B., & S, S. (2010). Challenges and Opportunities for Development of Marginal Fields through Cluster system: A case study from Western Offshore Basin, India. *Petrotech-2010*, (pp. 1-6).

Munisteri, I., & Kotenev, M. (2013). Mature oil fields : Preventing decline. *Society of Petroleum Engineers, 9*(3), 9-17.

Nabhani. (2012). Potential application of multiphase pumps in oil and gas exploration and production. *2012 International Conference on Environment Science and Engineering* (pp. 84-88). Singapore: IPCBEE.

Nishikiori, N., Redner, R., Doty, D., & Schmidt, Z. (1995). An improved method for gas lift allocation optimization. *Journal Of Energy Resources Technology, 117*(2), 87-92.

Nwankwo, C., & Ekine, A. (2009). Geothermal gradients in the Chad basin, Nigeria, from bottom hole temperature logs. *International Jpournal of Physical Science, 4*(12), 777-783.

Nwokedi, T., Okoroji, L., Nze, I., & Ndukwu, I. (2015). Oil exploration and production wast management practice:Comparative analysis for reduction in hazardous E&P waste generation in offshore oil platform in Nigeria. *Journal of Environment and Earth Science, 5*(4), 101-107.

Obeadalla, L., & Abdelmagd, S. (2013). Assessment study of the produced water from Adar-Yale oilfield in Melut basin, for injuction. *Archives of Applied Science Research, 5*(4), 30-35.

Obeadalla, L., & Abdelmagd, S. (2013). Benificial uses of the produced water from palogue oil field for injuction to enhance oil recovery. *Archives of Aplied science Research, 5*(4), 69-75.

Oseghale, C., & Ebhodaghe, F. (2011). Asphaltene deposition and remediation in crude oil production: solubility technique. *Journal of Engineering and Applied Science, 6*(4), 258-261.

Pasni, I., & Wibowo, I. (2000). Achieving low cost operation in mature oil fields.

Ramirez, M., Zdenkovic, N., & Medina, E. (2000). Technical/Economical of artificial lift systems for eight offshore reservoirs. *SPE International Petroleum Conference and Exhibition* (pp. 1-10). Villahermosa: Society of Petroleum Engineers.

Rodriguez, R., & Soeder, D. (2015). Evolving water management practices in shale oil & gas development. *Journal of Unconventional Oil and Gas Resources, 10*, 18-24.

Ruckheim, J., Voigtlnder, G., & Khokhlov, S. (2005). Mature Gas Fields. *SPE Europec/EAGE Annual Conference.* Madrid: SPE.

Sadeghnejad, A., & Masihi, M. (2011). Water flooding performance evaluation using percolation theory. *Journal of Petroleum Science and Technology, 1*(2), 19-23.

Saepudin, D., Soewono, E., Sidarto, K., Gunawan, A., Sieregar, S., & Sukarno, P. (2007). An investigation on gas lift performance curve in an oil-producing well. *International Journal of Mathematics and Mathematical Science*, 1-15.

Sarawagi, V., sarawagi, M., Mishra, A., & Poddar, A. (2015). Oil prices, production and consumption. *International Journal of Management and Social Science Research Review, 1*(7), 147-150.

Seng, J., & Chen, K. (2014). evalution of the EOR potential gas and water injection in shale oil reservoirs. *Journal of Unconventional Oil and Gas Resources, 5*, 1-9.

Shadizadeh, S., Majidaie, S., & Zoveidavianpoor, M. (2011). Investigation of drill cutting reinjection:Environmental management in Iranian Ahwaz oilfield. *Petroleum Science and Technology, 29*(11), 1093-1103.

Sheng, J. (2015). Increase liquid oil production by huff-n-huff of produces gas in shale gas condensate reservoirs. *Journal of Unconventional Oil and Gas Resources, 11*, 19-26.

Shihab, Q., & Bajaj, V. (2013). Oil well model and rate allocation. *International journal of statisticks and Mathematika, 6*(2), 65-69.

Singh, K., Narasimham, J., & Kumar, R. (2004). Mumbai high redevelopment - Geo scientific challenges and technological opportunities. *5th Conference & Exposition on Petroleum Geophysics* (pp. 819-823). Hyderabad: SPG.

Swadimath, U., Anilkumar, K., & Joshi, P. (2013). Rise & Impact of Crude Oil Price in India. *International Journal of Marketing,Financial services & Management Research, 2*(1), 82-91.

Sylvester, O., & Bibobra, I. (2015). Gas lift technique a tool to production optimization. *International Journal of Oil, Gas and Coal engineering, 3*(3), 41-46.

U.S. Energy Information Administration. (Updated Projection of Crude Types). *U.S. Crude Oil Production to 2025:.* Washington: U.S. Department of Energy.

Wedman, M., Lynch, K., & Spearman, J. (1999). Hydraulic fracturing for sand control in unconsolidated heavy-oil reservoirs. *SPE Western regional meeting.* Anchorage: SPE.

Wendong, W., Yuling, S., Shiyu, Z., & Yangyang, S. (2014). Investigation of hydraulic fracture optimization in on infill well in low permeabilty reservoirs. *Jurnol of Petrolium and Gas Engineering, 5*(5), 49-56.

Zhu, D., Zhang, J., Han, Y., Wang, H., & Feng, Y. (2013). Laboratory study on the potential EOR use of HPAM/VES hybrid in high-temperature and high-salinity oil reservoirs. *Journal of Chemistry*, 1-9.

Zoveidavianpoor, M., Samuri, A., & Shadizadeh, S. (2012). A review on conventional candidate-well selection for hydraulic fracturing in oil and gas wells. *International Journal of Engineering and technology, 2*(1), 51-60.